



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MAY 1.

The President, Dr. RUSCHENBERGER, in the chair.

Forty-one members present.

A paper entitled "Notes on the Natural History of Fort Macon, N. C., and Vicinity, No. 3," by Dr. H. C. Yarrow, was presented for publication.

MAY 8.

The President, Dr. RUSCHENBERGER, in the chair.

Thirty-seven members present.

A paper entitled "On the Brain of *Chimæra Monstrosa*," by Burt G. Wilder, was presented for publication.

On the Placenta of a Monkey.—Dr. H. C. CHAPMAN remarked that as it is comparatively rare for monkeys to breed in confinement, and as the opportunity does not often present itself of examining the placenta in these animals, a few remarks on the character of that structure in the *Macacus nemestrinus* might not be considered superfluous. The young monkey, which was born dead in the Zoological Garden, measured 13 inches from snout to tip of tail. As in the case of almost all the old world monkeys or Catarrhines, there were two placentæ, which measured in their largest diameters 3 and $3\frac{1}{2}$ inches respectively, and were discoid in shape. The umbilical cord was $7\frac{1}{2}$ inches in length, and contained one umbilical vein, and two umbilical arteries. Curiously enough in the South American monkeys, while there are two umbilical veins, as well as two arteries in the cord, the placenta is single.

On the Earthy Oxides of Samarskite.—Prof. J. LAWRENCE SMITH made some remarks on the anomalous properties of the earthy oxides of samarskite belonging to that class of the earths which are precipitated by a cold concentrated solution of sulphate of potash, or sulphate of soda. He gave his reasons for believing that these oxides contain but little if any cerium oxide, and that there is a strong probability of the bulk of it being a new earth. He expressed these views with much caution, because more thorough investigation on larger quantities might possibly prove them to be inaccurate.

On Marbleized Iron.—Mr. WM. H. DOUGHERTY reported the results of his examination of a new article of enamelled iron-ware